

Online Research @ Cardiff

This is an Open Access document downloaded from ORCA, Cardiff University's institutional repository: <https://orca.cardiff.ac.uk/id/eprint/136124/>

This is the author's version of a work that was submitted to / accepted for publication.

Citation for final published version:

Mumbauer, Simone, Pascual, Justine, Kolotuev, Irina and Hamaratoglu, Fisun
ORCID: <https://orcid.org/0000-0002-1461-9248> 2020. Correction: Ferritin heavy chain protects the developing wing from reactive oxygen species and ferroptosis. PLoS Genetics 16 (10) , e1009138. 10.1371/journal.pgen.1009138
file

Publishers page: <http://dx.doi.org/10.1371/journal.pgen.1009138>
<<http://dx.doi.org/10.1371/journal.pgen.1009138>>

Please note:

Changes made as a result of publishing processes such as copy-editing, formatting and page numbers may not be reflected in this version. For the definitive version of this publication, please refer to the published source. You are advised to consult the publisher's version if you wish to cite this paper.

This version is being made available in accordance with publisher policies.

See

<http://orca.cf.ac.uk/policies.html> for usage policies. Copyright and moral rights for publications made available in ORCA are retained by the copyright holders.



CORRECTION

Correction: Ferritin heavy chain protects the developing wing from reactive oxygen species and ferroptosis

Simone Mumbauer, Justine Pascual, Irina Kolotuev, Fisun Hamaratoglu

The labelling on the x-axis in [Fig 5J](#) is incorrect. The authors have provided a corrected version here.



OPEN ACCESS

Citation: Mumbauer S, Pascual J, Kolotuev I, Hamaratoglu F (2020) Correction: Ferritin heavy chain protects the developing wing from reactive oxygen species and ferroptosis. PLoS Genet 16 (10): e1009138. <https://doi.org/10.1371/journal.pgen.1009138>

Published: October 15, 2020

Copyright: © 2020 Mumbauer et al. This is an open access article distributed under the terms of the [Creative Commons Attribution License](#), which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited.




Fig 5. Low levels of the Ferritin heavy chain cause ROS accumulation. (a-e) Representative wing discs of indicated genotypes. Dorsal is up, anterior is to the left. *hh-Gal* is expressed in the posterior compartment and *nub-Gal4* is expressed in the pouch (used in panel b). (d) shows the GstD1-GFP signal alone of the disc shown in panel (d). All discs are from day 5 larvae with the exception of panel (b), which shows a day 8 disc. (f-i) Representative wings of indicated genotypes and (j) quantification of their areas normalized to control wings (minimum 10 wings per genotype) are shown. Error bars represent standard error. P-values for t-tests are: *hh-Gal4* vs *Fer1HCH-i-w* ($p \leq 0.0001$); *hh-Gal4* vs *Fer1HCH-i-w + SOD:Cat* ($p \leq 0.01$); *Fer1HCH-i-w* vs *Fer1HCH-i-w + SOD:Cat* ($p \leq 0.001$). All discs and all wings are shown at the same scale. Scale bars in (a) and (f) are 50 and 100 microns respectively.

<https://doi.org/10.1371/journal.pgen.1009138.g001>

Reference

- Mumbauer S, Pascual J, Kolotuev I, Hamaratoglu F (2019) Ferritin heavy chain protects the developing wing from reactive oxygen species and ferroptosis. *PLoS Genet* 15(9): e1008396. <https://doi.org/10.1371/journal.pgen.1008396> PMID: 31568497